

Inteligencia Artificial IA

Reconocimiento de texto

El siguiente código se conecta a un servidor para leer un texto en un idioma concreto

```
import cyberpi

ssid = "MIWIFI"
pwd = "CONTRASENAWIFI"

cyberpi.driver.cloud_translate.TTS_URL = "{TTSURL}"
cyberpi.driver.cloud_translate.set_token("{ACCESSTOKEN}")
cyberpi.driver.cloud_translate.TRANS_URL = "{TRANSURL}"
cyberpi.driver.cloud_translate.set_token("{ACCESSTOKEN}")
cyberpi.speech.set_recognition_address(url = "{NAVIGATEURL}")
cyberpi.speech.set_access_token(token = "{ACCESSTOKEN}")

cyberpi.led.on(255,0,0,id='all')
cyberpi.display.show_label("WiFi:",12,0,0,0)

if not cyberpi.wifi.is_connect():
    cyberpi.display.show_label("WiFi: No Connect",12,0,0,0)
    cyberpi.wifi.connect(ssid,pwd)
    while not cyberpi.wifi.is_connect():
        cyberpi.display.show_label("Connecting..",12,0,20,1)

cyberpi.display.clear()
cyberpi.display.show_label("Status: Connected!",12,0,0,0)
cyberpi.led.on(0,255,0,id='all')

cyberpi.display.show_label("Wait...",12,0,20,1)
cyberpi.led.on(0,0,255,id='all')
```



```
cyberpi.cloud.tts("es","Bienvenido CATEDU")
cyberpi.cloud.tts("en","I speak English better: Wellcome to CATEDU")
cyberpi.led.on(0,0,0,id='all')
cyberpi.display.show_label("Finished!",12,0,20,1)
```

Extraído de <https://github.com/PerfecXX/Python-mBot2/blob/main/README.md> licencia MIT

<https://www.youtube.com/embed/xrwRPOQqcZ0>

Reconocimiento de voz

En este caso hemos seleccionado el idioma 4 (el primero chinese es el 0) luego reconoce voz en idioma inglés

```
import cyberpi
from time import sleep

ssid = "MIWIFI"
pwd = "CONTRASENAWIFI"

langauge_list =
["chinese","chinese_taiwan","cantonese","japanese","english","french","german","spanish","portuguese","russia
n","korean","italian","Dutch"]

cyberpi.driver.cloud_translate.TTS_URL = "{TTSURL}"
cyberpi.driver.cloud_translate.set_token("{ACCESSTOKEN}")
cyberpi.speech.set_recognition_address(url = "{NAVIGATEURL}")
cyberpi.speech.set_access_token(token = "{ACCESSTOKEN}")
cyberpi.driver.cloud_translate.TRANS_URL = "{TRANSURL}"
cyberpi.driver.cloud_translate.set_token("{ACCESSTOKEN}")

cyberpi.led.on(255,0,0,id='all')
cyberpi.display.show_label("WiFi:",12,0,0,0)

if not cyberpi.wifi.is_connect():
```

```

cyberpi.display.show_label("WiFi: No Connect",12,0,0,0)
cyberpi.wifi.connect(ssid,pwd)
while not cyberpi.wifi.is_connect():
    cyberpi.display.show_label("Connecting..",12,0,20,1)

cyberpi.display.clear()
cyberpi.display.show_label("WiFi: Connected!",12,0,0,0)
cyberpi.led.on(0,255,0,id='all')

while True:
    cyberpi.display.show_label("A:Start Recognize",12,0,20,1)
    cyberpi.led.on(0,0,0,id='all')

    if cyberpi.controller.is_press('a'):
        sleep(0.5)
        cyberpi.led.on(0,0,255,id='all')
        cyberpi.display.show_label("Recognizing...",12,0,40,2)
        cyberpi.cloud.listen(language_list[4], 5)
        cyberpi.display.show_label("Processing...",12,0,40,2)
        cyberpi.led.on(0,0,0,id='all')
        recog_result = cyberpi.cloud.listen_result()
        cyberpi.display.show_label("Recognition Result\n\n{}".format(recog_result),12,0,40,2)

```

Extraído de <https://github.com/PerfecXX/Python-mBot2/blob/main/README.md> licencia MIT

El resultado es

<https://www.youtube.com/embed/dHh43NAOEx0>

Traductor

En este caso le damos un texto que le decimos en qué idioma está (el 7=español) y le pedimos que nos lo traduzca al 4=inglés

```
import cyberpi
```

```

ssid = "MIWIFI"
pwd = "MICLAVEWIFI"

langauge_list =
["chinese","chinese_taiwan","cantonese","japanese","english","french","german","spanish","portuguese","russian",
"","korean","italian","Dutch"]
cyberpi.driver.cloud_translate.TTS_URL = "{TTSURL}"
cyberpi.driver.cloud_translate.set_token("{ACCESSTOKEN}")
cyberpi.speech.set_recognition_address(url = "{NAVIGATEURL}")
cyberpi.speech.set_access_token(token = "{ACCESSTOKEN}")
cyberpi.driver.cloud_translate.TRANS_URL = "{TRANSURL}"
cyberpi.driver.cloud_translate.set_token("{ACCESSTOKEN}")

cyberpi.led.on(255,0,0,id='all')
cyberpi.display.show_label("WiFi:",12,0,0,0)

if not cyberpi.wifi.is_connect():
    cyberpi.display.show_label("WiFi: No Connect",12,0,0,0)
    cyberpi.wifi.connect(ssid,pwd)
    while not cyberpi.wifi.is_connect():
        cyberpi.display.show_label("Connecting..",12,0,20,1)

cyberpi.display.clear()
cyberpi.display.show_label("WiFi: Connected!",12,0,0,0)
cyberpi.led.on(0,255,0,id='all')

text = "Bienvenido a los cursos a distancia de CATEDU"
cyberpi.display.show_label("translate: \n{ } in { }".format(text,langauge_list[7]),12,0,10,1)
translated_text = cyberpi.cloud.translate(langauge_list[4], text)
cyberpi.display.show_label("Result: \n{ }".format(translated_text),12,0,70,2)

```

Extraído de <https://github.com/PerfecXX/Python-mBot2/blob/main/README.md> licencia MIT



Revision #2

Created 29 April 2025 22:45:14 by Javier Quintana

Updated 29 April 2025 23:10:41 by Javier Quintana